

Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at http://about.jstor.org/participate-jstor/individuals/early-journal-content.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

LOS ANGELES, CAL.

Surg. Brooks of the United States Public Health Service, on duty in Los Angeles, reports as follows regarding the outbreak of poliomyelitis (infantile paralysis) at that place:

Record of cases and deaths.

	Cases.	Deaths.		Cases.	Deaths.
Week ended— June 15, 1912. June 22, 1912. June 29, 1912. July 6, 1912. July 13, 1912. July 20, 1912.	1 7 11 34 25 29	1 1 2 6 5 3	Week ended— July 27, 1912 Aug. 3, 1912 Aug. 10, 1912 Aug. 17, 1912 Total	41 29 28 21 226	8 6 9 2 43

Record of ages.

Ages.	Cases.	Deaths.	Ages.	Cases.	Deaths.
Under 1 year. 1 to 2 years. 2 to 3 years. 3 to 4 years. 4 to 5 years. 5 to 10 years. 10 to 15 years. 15 to 20 years.	21 47 47 26 20 32 13	6 7 6 4 8 7 4 1	20 to 25 years. 25 to 30 years. 30 to 35 years. 35 to 40 years. 40 to 45 years. 45 to 50 years. Age not recorded.	1 1 1 1	

Record by sex.—Cases, male 122, female 100; not recorded 4; deaths, male 28, female 15.

Quarantine, as in diphtheria, without guards, was instituted with the first case, but since August 6 strict isolation with guards day and night, as in smallpox, has been maintained.

A municipal hospital was opened August 12 and on August 17 4 cases had been received. Patients are recommended for admission for protection of other members of the family or neighboring families when strict isolation is difficult.

INDIANA.

A death from poliomyelitis occurred in Posey County, Ind., during the month of June, 1912.

RABIES.

During the month of June, 1912, there were reported in the State of Indiana 12 cases of rabies, occurring in 6 counties.

TETANUS.

During the week ended August 10, 1912, tetanus was reported by city health authorities as follows: Baltimore, Md., 1 death; Chicago, Ill., 1 death; New York, N. Y., 1 death; Wilkes-Barre, Pa., 1 case.